




PRODUCT-DETAILS

XT7D 1000 3p F F

XT7D 1000 3p F F



General Information	
Extended Product Type	XT7D 1000 3p F F
Product ID	1SDA101906R1
EAN	8056221019507
Catalog Description	XT7D 1000 3p F F
Long Description	SWITCH-DISCONNECTOR TMAX XT7D 1000 FIXED THREE-POLE WITH FRONT TERMINALS AND LEVER OPERATING MECHANISM

ABB EcoSolutions	
ABB EcoSolutions	Yes
ABB Site Meeting Group Waste To Landfill Target	UL 2799 Zero Waste To Landfill Validation available
End Of Life Disassembling Instructions	9AKK108468A2357
Environmental Product Declaration - EPD	9AKK108468A1895 9AKK108468A4404
Recyclability Rate of the Product acc. to EN45555	Design for Closing Resource Loops - Standard EN45555 - 64.1 %

Material Compliance

REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326
SCIP	c251b147-df6a-4828-bdfd-83a754cd7926 Italy (IT)
Simplified SCIP	87dce231-c739-48e8-922a-2e4b72f93642 Belgium (BE) 07f0a097-faf7-4233-92a1-fd41d04d9988 Spain (ES) 80164238-ebb3-4bf0-9e40-614ee46fb0f5 Hungary (HU) 84cfd3bc-be65-447a-94b6-5c8743960569 France (FR) 32a9a24b-e272-4312-9daf-ff4f040d99a9 Germany (DE) 7f387376-2efa-4c07-a551-14753d1d2f79 Croatia (HR) 0e08a30f-b151-45df-8c8b-520847a25cec Germany (DE) fe053595-509e-4380-b116-ba8e6bb4f363 Czech Republic (CZ) f9b21ff4-3bb5-46dc-a16c-abf2555777e9 Germany (DE) a9002ba0-23be-4380-868d-aa751ab2ec1d Denmark (DK) 297fd7e6-655b-40d1-9317-2f1f6f3ea021 Sweden (SE) a0bb97ee-484e-451c-b9cd-a0b4b8f2f522 Belgium (BE) 1936ec22-123f-4ab9-919d-3fbee8a3a8e9 Estonia (EE) 2f501c7f-36ba-491d-a7e8-e1b6488b003c Hungary (HU) ce59f754-3709-40c5-b213-4cd526fa488e Poland (PL) 48839ca3-bc6a-4fa3-8fee-03c2d7f3a2ef Finland (FI) 33524647-cb60-4667-a941-77eab4ef2779 Sweden (SE) 625e5581-51f8-4f27-8614-a142b8c8ca02 Germany (DE) 4a5817da-1709-4a77-8ffa-01b4d4bcd08 Portugal (PT) 8083c87b-06b5-4c44-80af-41403af3400c France (FR) f2932281-0bd4-493c-94a4-62bd68f75673 Greece (GR) b5b30860-ec8e-4199-b6bf-fe871fe13f3e Poland (PL) 79bb063e-8358-4539-9207-13078ce33808 Netherlands (NL) 85ea1532-f2e6-44bd-88ab-f88af25eb092 Norway (NO) fda36e91-c4f6-4c4d-8bcf-8548231678dc Bulgaria (BG) 45449b8f-1cc3-4c90-b350-ae0b28af240 Poland (PL) 20d3aaff-2e16-4940-bdd0-5dc3d52b9eb8 Germany (DE)

Environmental

Environmental Information	9AKK108467A6707
---------------------------	-----------------

Ordering

Order Code US and Canada	XT7DE310DDFF000XXX
E-Number (Norway)	4380807
EAN	8056221019507
Minimum Order Quantity	1 piece
Customs Tariff Number	85362090

Dimensions

Product Net Width	210 mm
Product Net Height	268 mm
Product Net Depth / Length	166 mm

Product Net Weight	9.7 kg
--------------------	--------

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	280 mm
Package Level 1 Height	350 mm
Package Level 1 Depth / Length	360 mm
Package Level 1 Gross Weight	11.2 kg
Package Level 1 EAN	8056221019507

Additional Information

Product Main Type	SACE Tmax XT
Product Name	Moulded Case Circuit Breaker
Product Type	Switch Disconnecter
Version	F
CAD Dimensional Drawing	1SDH002065A1336 1SDH002065A1338

Technical

Electrical Durability	3000 cycle 60 cycles per hour
Mechanical Durability	10000 cycle 60 cycles per hour
Number of Poles	3P
Order Multiple	1 piece
Rated Impulse Withstand Voltage (U _{imp})	8 kV
Rated Insulation Voltage (U _i)	1000 V
Rated Operational Voltage	690 V AC 750 V DC
Rated Short-time Withstand Current Low Voltage (I _{cw})	20 kA
Rated Uninterrupted Current (I _u)	1000 A
Standards	IEC60947-2
Sub-type	XT7
Terminal Connection Type	Front

Certificates and Declarations

Data Sheet, Technical Information	1SDC210100D0206 1SDC210099D0206
Declaration of Conformity - CE	9AKK107046A9648
Mechanical Drawings	1SDH002013A1101
Wiring Diagram	1SDM000002A1001

External Classifications and Standards

ETIM 8	EC000216 - Switch disconnect
ETIM 9	EC000216 - Switch disconnect (low voltage)
Object Classification Code	Q
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27371403

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Tmax XT

