



PRODUCT-DETAILS

RHE A3 F/P STAND. RETURNED  
RHE A3 F/P STAND. RETURNED

General Information	
Extended Product Type	RHE A3 F/P STAND. RETURNED
Product ID	1SDA066159R1
EAN	8015644000615
Catalog Description	RHE A3 F/P STAND. RETURNED
Long Description	ROTARY HANDLE OPERATING MECHANISM STANDARD ADJUSTABLE DEPTH L=500 MM WITH PADLOCK DEVICE AND DOOR INTERLOCK FOR C.BREAKER FIXED-PLUG-IN A3

Material Compliance	
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

<b>Environmental</b>	
Environmental Information	9AKK108467A6707

<b>Ordering</b>	
Order Code US and Canada	KA3RHE
EAN	8015644000615
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

<b>Dimensions</b>	
Product Net Weight	0.712 kg

<b>Container Information</b>	
Package Level 1 Units	1 piece
Package Level 1 Width	118 mm
Package Level 1 Height	120 mm
Package Level 1 Depth / Length	487 mm
Package Level 1 Gross Weight	0.749 kg
Package Level 1 EAN	8015644000615

<b>Additional Information</b>	
Product Main Type	Accessories for FORMULA
Product Name	Accessory
Product Type	ACC
Suitable For	A3

<b>Technical</b>	
Configuration Type	Loose or configurable
Standards	IEC

<b>Certificates and Declarations</b>	
Data Sheet, Technical Information	9AKK105713A5945
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDC210032D0204

<b>External Classifications and Standards</b>	
ETIM 8	EC000229 - Handle for power circuit breaker
ETIM 9	EC000229 - Handle for power circuit breaker
IDEA Granular Category Code (IGCC)	3038 >> Handles or knobs
Object Classification Code	Q
UNSPSC	31162801

WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
eClass	V11.1 : 27370414

---

Categories

---

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Formula DSA