

BockLighting




Decorative Commercial
Ceiling - Pendant - Wall Sconce

2019

Ceiling

BockLighting

Bacio
Cubo
Disco
Enkel
Favo
Mirabella
Narciso Full
Occio
Paiole
Rubic
Scudo
Siepe
Spigolo



Bacio



CONCEPT

Finish: Satin White glass, Brushed Satin fitting.

Material: Hand-Blown European Glass.

Available: Pendant

GLASS

A10110195007 = H: 7.6", D: 13.8"

LAMP

MED = E26 Base, 60W Max

LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.

Cubo



CONCEPT

Finish: White

Material: Hand-Blown European Glass. Mounting: Ceiling or Wall

GLASS

A10111235055 = Cubo Satin White Ceiling/Wall Small, ADA Compliant. W/L: 7.7" x H: 3.9"

A10111225055 = Cubo Satin White Ceiling/Wall Medium, ADA Compliant. W/L: 9.6" x H: 3.9"

A10111215054 = Cubo Satin White Ceiling/Wall Large. W/L: 11.6" x H: 4.1"

LAMP

MED = Medium E26 Base

Small & Medium: 1 x 60W Lamps, Large: 2 x 60W Lamps

GU24 = GU24, 18W Max

Small & Medium: 1 x 60W Lamps, Large: 2 x 60W Lamps

LAC-13W-(K) = 13W, AC LED, 120V Only, 30/40K, 1,000LM.

Takes 1 Module.

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V, Takes 1 Module.



ADA
COMPLIANT

Disco


CONCEPT
Finish: Satin White

Material: Hand-Blown European Glass.

GLASS
A10111305055 = SM, ADA, H: 3.9", D: 13.8"

A10111295054 = LG, H: 5", D: 18.3"

LAMP
MED = E26 Base, SM(1), LG(2) 60W E26

LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V, Takes 1 Module.

 ADA
COMPLIANT

Enkel The simply round & square Socket



ENKEL-S - Square

ENKEL-R - Round

CONCEPT
Material: Fabricated Steel with ceramic socket.

Mounting: Ceiling/Wall

STYLE
ENKEL-S: Square Socket, 5.25" x 5.25" x 2.8"

ENKEL-R: Round Socket, 5.2" x 2.7"

LAMP
MED: Medium Base Socket, 60W Max, 120V Only. Lamp Not Included.

FINISH

 Powder Coat, Select from 33 standard finishes or go completely custom. See bocklighting.com/colors.

 ADA
COMPLIANT

Favo



CONCEPT

Finish: Satin White
Material: Hand-Blown European Glass.
Mounting: Ceiling/Wall
Available: Pendant



ADA
COMPLIANT

GLASS

A10111535079 = Small, ADA, H: 2.6", D: 5.9"
A10111505077 = Medium, H: 4.4", D: 11"
A10111475075 = Large, H: 5.2", D: 13.9"

DECOR

Mirror = Optional Mirror in Center of Glass

LAMP

MED = E26 Base, SM(1), MD(1), LG(2) 60W
LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM,
LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.
LBA-(1/2)-(3000LM)-(27/30/35/40K) = LBA Module, Cree LEDs, 120-277V, 0-10V Dimming,
 Requires Driver Canopy
 1 Module M=1 = LM=850(8W)/1250(11W)/2000(19W)/3000(29W)LM, K=27/30/35/40K

Mirabella



CONCEPT

Finish: Satin White

Material: Hand-Blown Glass.

Available: Pendant

GLASS

A10112125130 = D: 8"

A10112115130 = D: 9"

A10112105130 = D: 10"

A10619135130 = D: 12"

A10619145130 = D: 14"

A10619165130 = D: 16"

A10619185130 = D: 18"

LAMP

MED = E26 Base, 60W Max

LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM,

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V, Takes 1 Module.

LBA-(1/2)-(3000LM)-(27/30/35/40K) = LBA Module, 120-277V, 0-10V Dimming, Requires Driver Canopy

1 Module = 29W

2 Module = 58W - 18" Only

Narciso Full



CONCEPT

Finish: White / Gold Stripes

Material: Hand-Blown European Glass.

Mounting: Ceiling/Wall

Available: Half Cut Wall Sconce

GLASS

A10112215055 = SM, H: 4.2", D: 9.8"

A10112195054 = LG, H: 4.7", D: 11.8"

LAMP

MED = SM(1), LG(2) 60W Max

LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V, Takes 1 Module.

Occhio



CONCEPT

Finish: Satin White

Material: Hand-Blown European Glass.

Mounting: Ceiling/Wall

GLASS

A10112245151 = SM, H: 8.7", D: 14.6"

A10112235150 = LG, H: 11.8", D: 19.7"

LAMP

MED = E26 Base

SM: 3 x 60W

LG: 4 x 60W

LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM. SM takes 3, LG takes 4.

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V, SM takes 3, LG takes 4.

Paiolo



CONCEPT

Finish: Satin White

Material: Hand-Blown European Glass.

Mounting: Ceiling

GLASS

A10112275153 = H: 10", D: 7.9"

LAMP

MED = (1) 60W Max E26

LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V, Takes 1 Module.



FITTING IS BEING UPDATED.
CONSULT FACTORY FOR LATEST DESIGN.

Rubic



CONCEPT

Finish: Satin White

Material: Hand-Blown European Glass.

Mounting: Ceiling/Wall

GLASS

A10113085180 = SM, H: 6.1", L & W: 5.5"

A10113075180 = LG, H: 8.1", L & W: 7.5"

LAMP

MED = (1) 60W Max E26

LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V, Takes 1 Module.

Scudo



CONCEPT

Finish: Satin White

Material: Hand-Blown European Glass.

Mounting: Ceiling/Wall

GLASS

A10113345188 = H: 8.1", D: 15"

LAMP

MED = (2) 60W Max E26

LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM. Takes 2 Modules.

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V, Takes 2 Module.

Siepe



CONCEPT

Finish: Satin White

Material: Hand-Blown European Glass.

Driver Enclosure: Built in for up to two LBA modules.

Available: Pendant

GLASS

A10113435193 = SM, H: 14", D: 12.8"

A10113415193 = LG, H: 16.2", D: 15.4"

LAMP

MED = E26 Base, SM(1), LG(2) 60W E26

LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V, Takes 1 Module.

LBA-(1/2)-(3000LM)-(27/30/35/40K) = LBA Module, Cree LEDs, 120-277V, 0-10V Dimming, Requires Driver Canopy

1 Module = 29W

2 Module = 58W



FITTING IS BEING UPDATED.
CONSULT FACTORY FOR LATEST DESIGN.

Spigolo



CONCEPT

Finish: Satin White

Material: Hand-Blown European Glass.

Mounting: Ceiling/Wall

GLASS

A10113655055 = H: 5.3", D: 7"

LAMP

MED = (1) 60W Max E26


LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V, Takes 1 Module.


Pendant

BockLighting

AA Series
AE Series
ACP Series
Adonide
Barile
Beretto Aluminum
Beretto Glass
Bucaneve Glass
Bucaneve Industrial
Campana
Cemento
Cipresso
Datura
Esuberanza
Favo
Fido
Flamingo 3 & 20
Gelsamino
Geodesic Dome
Iris
Iucca
Jug
Margherita Glass
Margherita Industry
Mirabella
Pallone
Peonia
Raggio
Roo
Roo Industrial
Sampana
Sekyo
Siepe
Soffione
Stecca
Tenda Aluminum
Tenda Glass
Tendone
Tuia
Zafferano



AA Series



CONCEPT

Reflector: 12" & 16" Aluminum Spinning

Mounting: Cord in Silicone, Black or White. Stem 1/2" or 3/4". Gooseneck with top mounting.

See RLM catalog for more mounting options.

Driver: Enclosure Integral on 16", 12" requires Driver canopy.

FINISH IN = IXX EXT = EXX

G0 = Black

G1 = White

G7 = Verdigris

G8 = Dark Bronze

G9 = Silver

G11 = Copper

G12 = Brushed Aluminum

G16 = Silver Wrinkle

R* = RAL Color

More color options available on the Bock Lighting website. <http://bock.lighting/colors>

LAMP

MED = Base E26, 60W Max

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.

LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM. **LBA-(1/2)-(3000LM)-(27/30/35/40K)** = LBA Module, Cree LEDs, 120-277V, 0-10V Dimming

1 Module = 29W

2 Module = 58W

LENS

4GL-PA12 = Glass with U-Band

4GL-PA16 = Glass with U-Band

XGL-G123SO = Glass with 3 Standoffs.

XGL-G163SO = Glass with 3 Standoffs

AE Series



MODEL	HEIGHT	DIAMETER
AE12	12.4"	12.4"
AE16	16.5"	15.9"

CONCEPT

Reflector: 12" & 16" Aluminum Spinning

Mounting: Cord in Silicone, Black or White. Stem 1/2" or 3/4". Gooseneck with top mounting.

See RLM catalog for more mounting options.

Driver: Enclosure Integral on 16", 12" requires Driver canopy.

FINISH IN = IXX EXT = EXX

G0 = Black

G1 = White

G7 = Verdigris

G8 = Dark Bronze

G9 = Silver

G11 = Copper

G12 = Brushed Aluminum

G16 = Silver Wrinkle

R* = RAL Color

More color options available on the Bock Lighting website. <http://bock.lighting/colors>

LAMP

MED = Base E26, 60W Max

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.

LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM.

LBA-(1/2)-(3000LM)-(27/30/35/40K) = LBA Module, Cree LEDs, 120-277V, 0-10V Dimming

1 Module = 29W

2 Module = 58W

LENS


4GL-PA12 = Glass with U-Band

4GL-PA16 = Glass with U-Band

XGL-G123SO = Glass with 3 Standoffs.

XGL-G163SO = Glass with 3 Standoffs

ACP Acrylic Cylinder



CONCEPT

Cast Acrylic Cylinder Pendant with cylinder aluminum top.

Mounting: 1/2-NPT

SHADE

ACP400 D = 4"
ACP406 A=6", B=8"
ACP609 A=9", B=12"
ACP615 A=15", B=18"

ACP600 D = 6"
ACP606 A=6", B=9"
ACP410 A=10", B=12"
ACP816 A=16", B=20"

A = Plastic Height

ACP800 D = 8"
ACP808 A=8", B=12"
ACP612 A=12", B=15"
ACP820 A=20", B=24"

B = Overall Height

ACP404 A=4", B=6"
ACP408 A=8", B=10"
ACP812 A=12", B=16"

ACRYLIC FINISH

CG Clear Gloss

WG White Gloss

CM Clear Matte

WM White Matte

FINISH

G0 = Black

G1 = White

G12 = Brushed Aluminum

More color options available on the Bock Lighting website. <http://bock.lighting/colors>

LAMP

MED = Base E26, 60W Max

LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM.

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V, Takes 1 Module.

LBA-(1/2)-(3000LM)-(27/30/35/40K) = LBA Module, Cree LEDs, 120-277V, 0-10V Dimming

1 Module = 29W

2 Module = 58W 8" Only

MOUNTING / DRIVER CANOPY

643(BK/WH) 10ft of cord with canopy.

640-2 Stem Canopy for 1/2-NPT

BDC6C = 10ft of cord with Driver Canopy canopy.

BCC6S-2 = Driver Canopy for stems.

ST2-(6/12/18/24/36/48) Stem 1/2-NPT

ST2-(6/12/18/24/36/48) Stem 1/2-NPT

Adonide


CONCEPT
Finish: Satin White

Material: Hand-Blown European Glass.

GLASS
A30110035002 = SM, H: 3.8", D: 8.1"

A30110025002 = LG, H: 6", D: 13"

LAMP
MED = E26 Base, 1 Lamp, 60W

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.

FITTING IS BEING UPDATED.
 CONSULT FACTORY FOR LATEST DESIGN.

Barile


CONCEPT
Finish: Satin White

Material: Hand-Blown European Glass.

GLASS
A30110225010 = SM, H: 8.3", D: 11.8"

A30110215009 = LG, H: 11.8", D: 17.7"

LAMP
MED = E26 Base, 1 Lamp, 60W

LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.

FITTING IS BEING UPDATED.
 CONSULT FACTORY FOR LATEST DESIGN.



Beretto Aluminum

The Beretto Aluminum Pendant is a spun aluminum shade with two tone high quality finish. Lamp options include LED, Compact Fluorescent, Incandescent. Fixture is provided with 10 foot of field cuttable cord and aircraft cable, White and Silicone. LED and Incandescent version dimmable with 0-10V Dimmers.

Beretto Aluminum



CONCEPT

Finish: Available in a variety of finishes inside and out. Brushed nickel strain relief with clear silicone, white or black cord.

Material: Spun Aluminum

Mounting: 643AC Canopy is included. Cord with Aircraft Cable.

Available: [Beretto Handblown Glass in Satin White & Red, 15" & 20"](#)

REFLECTOR

BERET15 = H: 7.5", D: 15"

BERET20 = H: 10", D: 20"

BERET24 = H: 12", D: 24"

BERET36 = H: 18", D: 36"

BERET48 = H: 24", D: 48"

BERET60 = H: 30", D: 60"

FINISH

IN = iXX

EXT = eXX

G0 = Black

G1 = White

G12 = Brushed Aluminum

G25 = Navy Blue

G50 = Neon Orange

G51 = Neon Pink

G52 = Neon Yellow

G53 = Lime Green Neon

R* = RAL Color

More color options available on the Bock Lighting website. <http://bock.lighting/colors>

LAMP

MED = Medium Base E26, 60W Max

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.

LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM

LBA-(1/2)-(3000LM)-(27/30/35/40K) = LBA Module, Cree LEDs, 120-277V, 0-10V Dimming, Requires Driver Canopy, Only 20"+

1 Module = 29W

2 Module = 58W

DRIVER CANOPY

BDC6C = Driver Canopy for LBA

LENS

FL = Frosted Lens. Mounts 1/3 from Bottom of reflector.

BERET15 = 2.5", **BERET20** = 3.3", **BERET24** = 4", **BERET36** = 6", **BERET48** = 8", **BERET60** = 10"

Beretto Glass



CONCEPT

Finish: Satin White or Red

Material: Hand-Blown European Glass.

Available: [Beretto Aluminum](#)

GLASS

A30110535021 = SM Satin White, H: 7.4", D: 14.8"

A30110545021 = SM Red

A30110435021 = LG Satin White, H: 9.9", D: 19.7"

A30110445021 = LG Red

LAMP

MED = (1) 60W Max E26

LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM,

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.



**FITTING IS BEING UPDATED.
CONSULT FACTORY FOR LATEST DESIGN.**

Bucaneve Glass



Satin White

Blue

Tangerine

CONCEPT

Dimensions: H: 7.9", D: 6.7"

Material: Hand-Blown European Glass.

GLASS

A30110835022 = Satin White

A30110845022 = Blue

A30110855022 = Tangerine

LAMP

MED = (1) 60W Max E26

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.



**FITTING IS BEING UPDATED.
CONSULT FACTORY FOR LATEST DESIGN.**

Bucaneve Industry



CONCEPT

Dimensions: H: 15.8", D: 6.6"

Material: Hand-Blown European Glass.

Mounting: 643 Canopy with air craft cable.

GLASS

A30110835023 = Satin White

A30110845023 = Blue

A30110855023 = Tangerine

LAMP

LBA-(1/2)-(3000LM)-(27/30/35/40K) = LBA Module, Cree LEDs, 120-277V, 0-10V Dimming, Requires Driver Canopy
1 Module M=1 = LM=850(8W)/1250(11W)/2000(19W)/3000(29W)LM, K=27/30/35/40K

Campana



CONCEPT

Material: Clear Blown Glass

Mounting: 8ft Black Cord & Canopy

GLASS

A30571430000 = H: 11.5", D: 8.25"

LAMP

MED = (1) 60W Max E26, Carbon Filament Edison Bulb



CAMPANA WITH CARBON FILAMENT
EDISON BULB LAMP BY OTHERS

Cemento



CONCEPT **Cemento** — Smooth natural cast concrete simple pendant.
Mounting: 10ft Black Cloth Cord with Canopy.

SHADE **CEMENTO-1** = Bare Socket, H: 3.5", D: 2.5"
CEMENTO-2 = Mini, H: 6", D: 6"
CEMENTO-3 = Cone, H: 6", D: 12"

LAMP **MED** = (1) 60W Max E26
LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V. Not available on CEMENTO-1.

Cipresso



CONCEPT **Finish:** Satin White
Material: Hand-Blown European Glass.
Available: Cipresso Wall Sconce

GLASS **A30111075041** = H: 11", D: 7.1"

LAMP **MED** = (1) 60W Max E26
LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED,
 120/277V, 80CRI, 0-10V.



FITTING IS BEING UPDATED.
CONSULT FACTORY FOR LATEST DESIGN.

Datura

**CONCEPT****Finish:** Satin White**Material:** Hand-Blown European Glass.**GLASS****A30111275057** = H: 10.1", D: 10.6"**LAMP****MED** = (1) 60W Max E26**LVG-(1250/1700LM)-(27/30/35/40K)** = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.

Esuberanza

**CONCEPT****Finish:** Yellow, Orange, Red Mix**Material:** Hand-Blown European Glass.**GLASS****A30111405067** = H: 14.6", D: 4.7"**LAMP****MED** = (1) 60W Max E26**LVG-(1250/1700LM)-(27/30/35/40K)** = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.

Favo


CONCEPT
Finish: Satin White

Material: Hand-Blown European Glass.

Available: Ceiling/Wall

GLASS
A30111445075 = LG, H: 5.2", D: 13.9"

DECOR
Mirror = Optional Mirror in Center of Glass

LAMP
MED = (1) 60W Max E26

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.

LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM.

LBA-(1/2)-(3000LM)-(27/30/35/40K) = LBA Module, Cree LEDs, 120-277V, 0-10V Dimming, Requires Driver Canopy
1 Module = 29W / 2 Module = 58W

**DRIVER
CANOPY**
BDC6C = Driver Canopy for LBA

Fido


CONCEPT
Finish: Satin White

Material: Hand-Blown European Glass.

GLASS
A30111595517 = SM, H: 5.2", D: 8.9"

A30111585086 = LG, H: 6.7", D: 13.8"

LAMP
MED = (1) 60W Max E26

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.

LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM.

LBA-(1/2)-(3000LM)-(27/30/35/40K) = LBA Module, Cree LEDs, 120-277V, 0-10V Dimming, Requires Driver Canopy
1 Module = 29W / 2 Module = 58W

**DRIVER
CANOPY**
BDC6C = Driver Canopy for LBA



Flamingo 20

Flamingo 3

Flamingo

The Flamingo 20 & Flamingo 3 are great center piece lighting fixture for retail stores, restaurants and office lobbies.
Uses 20W G9 Lamp.



Crystal




Fog




Blue



Amber



Pink



White



Espresso

Flamingo 3

**CONCEPT****Dimensions:** H: 31.5", D: 12"**Material:** Hand-Blown European Glass.**GLASS****A30111665105** = Crystal**A30111675105** = Fog**A30111685105** = Blue**A30111695105** = Pink**A30111705105** = Amber**A30111715105** = White**A30115925105** = Espresso**LAMP****(3) 20W G9**

*Contact factory for additional lamp options.

Flamingo 20

**CONCEPT****Dimensions:** H: 19.7", D: 80"**Material:** Hand-Blown European Glass.**GLASS****A40111605104** = Crystal**A40111615104** = Fog**A40111625104** = Blue**A40111635104** = Pink**A40111645104** = Amber**A40111655104** = White**A40172035104** = Espresso**LAMP****(20) 20W G9**

*Contact factory for additional Lamps.

Gelsamino


CONCEPT

Finish: Satin White with Gold Stripes
Material: Hand-Blown European Glass.

GLASS

A30111895041 = H: 11", D: 7.1"

LAMP

MED = (1) 60W Max E26
LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED,
 120/277V, 80CRI, 0-10V.



**FITTING IS BEING UPDATED.
 CONSULT FACTORY FOR LATEST DESIGN.**

Geodesic Dome


CONCEPT

Reflector: Aluminum Panels formed to geodesic design.

REFLECTOR

T82-20 = 20" **T82-30** = 30" **T82-40** = 40"

FINISH

IN = iXX
EXT = eXX

G0 = Black	G25 = Navy Blue	G52 = Neon Yellow
G1 = White	G50 = Neon Orange	G53 = Neon Lime
G12 = Brushed Aluminum	G51 = Neon Pink	Green
		R* = RAL Color

More color options available on the Bock Lighting web-site. <http://bocklighting/colors>

LAMP

MED = Base E26, 60W Max
LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED,
 120/277V, 80CRI, 0-10V.
 9W = 950LM / 13W = 1,400LM
LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM.
LBA-(1/2)-(3000LM)-(27/30/35/40K) = LBA Module, Cree LEDs, 120-
 277V, 0-10V Dimming, Requires Driver Canopy
 1 Module = 29W / 2 Module = 58W

**DRIVER
 CANOPY**

BDC6C = Driver Canopy for LBA

Iris


CONCEPT
Finish: Satin White

Material: Hand-Blown European Glass.

GLASS
A30111945041 = H: 17.3", D: 8.7"

A30111955041 = H: 11.75", D: 4"

LAMP
MED = (1) 60W Max E26

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.

LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM.

**FITTING IS BEING UPDATED.
CONSULT FACTORY FOR LATEST DESIGN.**

lucca


CONCEPT
Finish: Satin White

Material: Hand-Blown European Glass.

GLASS
A30111965115 = H: 14.8 ", D: 13.4"

LAMP
MED = (1) 60W Max E26

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.

LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM.

LBA-(1/2)-(3000LM)-(27/30/35/40K) = LBA Module, Cree LEDs, 120-277V, 0-10V Dimming, Requires Driver Canopy

1 Module = 29W

2 Module = 58W

**DRIVER
CANOPY**
BDC6C = Driver Canopy for LBA

JUG

**CONCEPT**

Material: Hand-Blown Glass.
Mounting: 8ft Black Cord with Black Canopy

GLASS

JUG0812S-AM = Amber, H: 12", D: 8"

JUG0812S-CL = Clear, H: 12", D: 8"

JUG0812S-SM = Smoke, H: 12", D: 8"

JUG1014M-AM = Amber, H: 14", D: 10"

JUG1014M-CL = Clear, H: 14", D: 10"

JUG1014M-SM = Smoke, H: 14", D: 10"

JUG1316L-AM = Amber, H: 16", D: 13"

JUG1316L-CL = Clear, H: 16", D: 13"

JUG1316L-SM = Smoke, H: 16", D: 13"

JUG1619XL-AM = Amber, H: 19", D: 16"

JUG1619XL-CL = Clear, H: 19", D: 16"

JUG1619XL-SM = Smoke, H: 19", D: 16"

LAMP

MED = (1) 60W Max E26

Margherita Glass



FITTING IS BEING UPDATED.
CONSULT FACTORY FOR LATEST DESIGN.

CONCEPT

Dimensions: H: 8.3", D: 11.3"

Material: Hand-Blown European Glass.

GLASS

A30112065022 = Satin White

A30112075022 = Blue

A30112085022 = Amber

LAMP


MED = (1) 60W Max E26

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED,
120/277V, 80CRI, 0-10V.


LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM



Satin White



Blue



Amber

Margherita Industry



CONCEPT

Dimensions: H: 14", D: 11.3"

Material: Hand-Blown European Glass.

GLASS

A30112085125 = Amber

A30112075125 = Blue

A30112065125 = Satin White

LAMP

LBA-(1/2)-(3000LM)-(27/30/35/40K) = LBA Module, Cree LEDs, 120-
277V, 0-10V Dimming

1 Module M=1 = LM=850(8W)/1250(11W)/2000(19W)/
3000(29W)LM, K=27/30/35/40K

LENS

RG: Rods and Glass (Optional)

Mirabella



CONCEPT

Finish: Satin White
Material: Hand-Blown USA Glass.
Available: Ceiling

GLASS

A30112125131 = 8" **A30112115131** = 9"
A30112105131 = 10" **A30619135131** = 12"
A30619145131 = 14" **A30619165131** = 16"
A30619185131 = 18"

LAMP

MED = (1) 60W Max E26
LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.
LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM.
LBA-(1/2)-(3000LM)-(27/30/35/40K) = LBA Module, Cree LEDs, 120-277V, 0-10V Dimming, Requires Driver Canopy, Only 16"+
 1 Module = 29W / 2 Module = 58W

DRIVER CANOPY

BDC6C = Driver Canopy for LBA

Pallone



CONCEPT

Finish: Satin White, Clear Spider
Material: Hand-Blown USA Glass.

GLASS

A30112325154 = Clear Spider, D: 9.8"
A30112315154 = Satin White, D: 9.8"
A30112305154 = Satin White, D: 13.8"
A30112295154 = Satin White, D: 16.5"

LAMP

MED = Base, 60W
LAC-13W-(30/40K) = A/C LED, 13W, 120V, 30 or 40K, 80CRI, 1000LM
LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.
LBA-(1/2)-(3000LM)-(27/30/35/40K) = LBA Module, Cree LEDs, 120-277V, 0-10V Dimming, Requires Driver Canopy, Only 13.8in+
 1 Module = 29W / 2 Module = 58W

Peonia


CONCEPT

Dimensions: H: 10.6", D: 7.9"

Material: Hand-Blown European Glass.

Available: Wall Sconce

GLASS

A30112365041 = Satin White

A30112375041 = Blue

A30112385041 = Orange

A30112395041 = Flame

A30112405041 = Rain

LAMP

MED = Base, 60W

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.



FITTING IS BEING UPDATED.
CONSULT FACTORY FOR LATEST DESIGN.

Raggio


CONCEPT
Finish: White

Material: Hand-Blown European Glass.

GLASS
A30112875002 = H: 4.1", D: 13.4"

LAMP
MED = Base, 60W

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED,
120/277V, 80CRI, 0-10V.

FITTING IS BEING UPDATED.
CONSULT FACTORY FOR LATEST DESIGN.

Roo


CONCEPT
Design: Decorative Shade with glass or spun aluminum reflector.

SHADE
ROO-AR8 = Aluminum, H: 10", D: 8"

ROO-AR10 = Aluminum, H: 12.75", D: 10"

ROO-BGOP10 = Opal Glass, H: 12.75", D: 10"

FINISH
IN = iXX

EXT = eXX

G0 = Black

G1 = White

G12 = Brushed Aluminum

G25 = Navy Blue

G50 = Neon Orange

G51 = Neon Pink

G52 = Neon Yellow

G53 = Lime Green Neon

R* = RAL Color

More color options available on the Bock Lighting web-site. <http://bock.lighting/colors>
LAMP
MED = (1) 60W Max E26

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED,
120/277V, 80CRI, 0-10V.

Roo Industry


CONCEPT

Design: Decorative Shade with spun reflector. Extrusion Nose for Driver/Driver Enclosure.

SHADE

ROO-AR10 = Aluminum, H: 16.9", D: 10.3"

FINISH

IN = iXX

EXT = eXX

G0 = Black

G1 = White

G12 = Brushed Aluminum

G25 = Navy Blue

G50 = Neon Orange

G51 = Neon Pink

G52 = Neon Yellow

G53 = Neon Lime Green

R* = RAL Color

More color options available on the Bock Lighting web-site. <http://bock.lighting/colors>

LAMP

LBA-(1/2)-(3000LM)-(27/30/35/40K) = LBA Module, Cree LEDs, 120-277V, 0-10V Dimming
1 Module M=1 = LM=850(8W)/1250(11W)/2000(19W)/3000(29W)LM, K=27/30/35/40K

Sampana


CONCEPT

Shade: Clear Hand Blown Glass

Mounting: Chrome Fittings, Silicone Cord field-cuttable, Mounts to standard octagon electrical box.

GLASS

A30515890000 = H: 16", D: 8"

LAMP

MED = (1) 60W Max E26

Sekyo



CONCEPT

Finish: Satin White

Material: Hand-Blown European Glass.

Available: Wall Sconce

GLASS

A30113375191 = SM, H: 11.8", D: 11.8"

A30113355189 = LG, H: 13.8", D: 14"

LAMP

MED = (1) 60W Max E26

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.

LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM.

Siepe



CONCEPT

Finish: White

Material: Hand-Blown European Glass.

Available: Ceiling

GLASS

A30113435194 = SM H: 10.6", D: 12.8"

A30113415194 = LG, H: 12.8", D: 15.4"

LAMP

MED = (1) 60W Max E26

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.

LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM. **LBA-(1/2)-(3000LM)-(27/30/35/40K)** = LBA Module, Cree LEDs, 120-277V, 0-10V Dimming, Requires Driver Canopy

1 Module = 29W

2 Module = 58W

DRIVER CANOPY

BDC6C = Driver Canopy for LBA

Soffione


CONCEPT
Finish: Satin White

Material: Hand-Blown European Glass.

SHADE
A30113495160 = H: 10.5", D: 9"

LAMP
MED = Base, 60W

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED,
120/277V, 80CRI, 0-10V.

FITTING IS BEING UPDATED.
CONSULT FACTORY FOR LATEST DESIGN.

Stecca


CONCEPT
Finish: Satin White

Material: Hand-Blown European Glass.

SHADE
A30113715204 = Mini, H: 7.9", L & W: 4"

A30113745204 = SM, H: 11.8", L & W: 4"

A30113735204 = MD, H: 17.7", L & W: 4"

A30113725204 = LG, H: 23.6", L & W: 4"

LAMP
MED = Base, 60W

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED,
120/277V, 80CRI, 0-10V.

Tenda Aluminum



CONCEPT

Finish: Variety of colors available for inside and out.
Open Bottom

Material: Spun Aluminum

Available: Hand Blown Glass

REFLECTOR

TENDA17 = H: 12.2", D: 16.5"

FINISH

IN = IXX

EXT = EXX

G0 = Black

G1 = White

G12 = Brushed Aluminum

G25 = Navy Blue

G50 = Neon Orange

G51 = Neon Pink

G52 = Neon Yellow

G53 = Lime Green Neon

R* = RAL Color

More color options available on the Bock Lighting web-site. <http://bock.lighting/colors>

LAMP

MED = Base E26, 60W Max

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V. 9W = 950LM / 13W = 1,400LM

LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM

LBA-(1/2)-(3000LM)-(27/30/35/40K) = LBA Module, Cree LEDs, 120-277V, 0-10V Dimming, Requires Driver Canopy 1 Module = 29W / 2 Module = 58W

DRIVER CANOPY

BDC6C = Driver Canopy for LBA

LENS

FL = Frosted Lens. Mounts 1/3 (4in) from Bottom of reflector.

Tenda Glass



CONCEPT

Dimensions: H: 12.2", D: 16.5"

Finish: Satin White, Red

Material: Hand-Blown European Glass. Open Bottom

Available: Painted Aluminum Spinning

GLASS

A30113905209 = Satin White

A30113915209 = Red

LAMP

MED = (1) 60W Max E26

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.

LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM.

Tendone


CONCEPT

Finish: Satin White, Closed Convex Bottom.

Material: Hand-Blown European Glass. Closed bottom.

GLASS

A30113885209 = H: 12.9", D: 16.5"

LAMP

MED = (1) 60W Max E26

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED,
120/277V, 80CRI, 0-10V.

LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM.

Tuia


CONCEPT

Finish: Satin White

Material: Hand-Blown European Glass.

Available: Wall Sconce

GLASS

A30114295232 = H: 11.8", D: 7.5"

LAMP

MED = (1) 60W Max E26

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED,
120/277V, 80CRI, 0-10V.

Zafferano



CONCEPT

Dimensions: H: 11.8", D: 5.8"

Material: Hand-Blown European Glass

Available: Wall Sconce

GLASS

A30114675391 = Weave

A30114595391 = Black Strada

A30114465391 = Fresco

A30114615391 = Nostalgia

A30114535391 = Sky

A30114505391 = Summit

A30114655391 = Beige Nano

A30114495391 = Cocca

A30114625391 = Gobelin

A30114575391 = Profondo

A30114555391 = Snake

A30114475391 = Sunrise

A30114545391 = Black Snake

A30114605391 = Cravatta

A30114565391 = Grotta

A30114455391 = Red Nano

A30114515391 = Spider

A30114485391 = Sunset

A30114585391 = Black Spider

A30114525391 = Earth

A30114645391 = Nano

A30114445391 = Satin White

A30114635391 = Strada

A30114665391 = Tangerine

LAMP


MED = (1) 60W Max E26

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.

Wall Sconce

BockLighting

Cipresso
Faggio
Freccia
Narciso - Half Cut
Peonia
Pino
Sekyo
Tuia
Tunica
Vite
Zafferano



Cipresso


CONCEPT
Finish: Satin White

Material: Hand-Blown European Glass.

Available: Pendant

GLASS
A20111085042 = H: 12.1", D: 8.2", W: 4"

LAMP
MED = (1) 60W Max E26

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.

LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM.

**ADA
COMPLIANT**

Faggio


CONCEPT
Finish: Satin White

Material: Hand-Blown European Glass.

GLASS
A20111435069 = H: 13", L: 4", W: 3.4"

LAMP
MED = (1) 60W Max E26

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.

**ADA
COMPLIANT**

Freccia


CONCEPT
Finish: Satin White

Material: Hand-Blown European Glass.

GLASS
A20111885108 = H: 7.1", L: 10.2", W: 5.7"

LAMP
MED = (1) 60W Max E26

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.

Narciso – Half Cut


CONCEPT
Material: Hand-Blown European Glass.

Available: Ceiling/Wall - Narciso - Full

GLASS
A20112225145 = SM, ADA, H: 4.9", D: 9.8", W: 4"

A20112205144 = LG, H: 5.9", D: 11.8", W: 4.7"

LAMP
MED = (1) 60W Max E26

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.

LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM.

**ADA
COMPLIANT**

Peonia



CONCEPT **Dimensions:** H: 10.6", D: 7.8", W: 3.9"
Material: Hand-Blown European Glass.
Available: Pendant



GLASS **A20112415157** = Satin White

A20112425157 = Amber

A20112435157 = Blue

LAMP **MED** = (1) 60W Max E26
LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.
LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM.

Pino



CONCEPT **Finish:** Satin White
Material: Hand-Blown European Glass.

GLASS **A20112515161** = H: 9", D: 13.4", W: 4.1"

LAMP **MED** = (1) 60W Max E26
LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.
LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM.

Sekyo


CONCEPT
Finish: Satin White

Material: Hand-Blown European Glass.

Available: Pendant

GLASS
A20113385192 = SM, H: 11.8", D: 11.8", W: 3.5"

A20113365190 = LG, H: 13.8", D: 13.8", W: 3.1"

LAMP
MED = (1) 60W Max E26

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.

LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM.

**ADA
COMPLIANT**

Tuia


CONCEPT
Dimensions: H: 11.8", D: 7.5", W: 3.6"

Finish: Satin White

Material: Hand-Blown European Glass.

GLASS
A20114305217 = Left

A20114315217 = Right

LAMP
MED = (1) 60W Max E26

LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.

LAC-13W-(30/40K) = 13W, 120V, 30/40K, 1,000LM.

**ADA
COMPLIANT**

Tunica

**CONCEPT****Finish:** Satin White**Material:** Hand-Blown European Glass.**Available:** Pendant**GLASS****A20114335218** = H: 11", D: 8.9", W: 4.4"**LAMP****MED** = (1) 60W Max E26**LVG-(1250/1700LM)-(27/30/35/40K)** = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.

Vite

**CONCEPT****Finish:** Satin White**Material:** Hand-Blown European Glass.**GLASS****A20114415235** = H: 17.3", D: 8.7", W: 4.2"**LAMP****MED** = (2) 60W Max E26**LVG-(1250/1700LM)-(27/30/35/40K)** = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V. Takes 2 Modules.

Zafferano



Satin White

Nano

Red Nano


Beige Nano

CONCEPT	Dimensions: H: 11.8", D: 5.8", W: 2.9" Material: Hand-Blown European Glass. Available: Pendant				
GLASS	A20114685237 = Satin White	A20114695237 = Nano	A20114705237 = Red Nano	A20114715237 = Beige Nano	
LAMP	MED = (1) 60W Max E26 LVG-(1250/1700LM)-(27/30/35/40K) = Bridgelux Vero LED, 120/277V, 80CRI, 0-10V.				

DECORATIVE COMMERCIAL

For Notes

BockLighting



BockLighting

WWW.BOCKLIGHTING.COM

P: 216-912-7050 e:sales@bocklighting.com