PRODUCT DATASHEET
DALIECO Remote PC KIT

DALIeco Remote PC KIT | User interfaces for light management systems



Areas of application

- Offices
- Industry

Product benefits

- Clearly structured and labeled control elements


Product features

- Remote control for configuration and startup of DALIeco light control system
- Digital IR transmission
- LED indicator for operation and programming mode and signal transmission
- Interface for PC connection
- Supply via two included button cells type CR2032

© 2026, products of OSRAM GmbH, distributed by LEDVANCE GmbH. All rights reserved.

TECHNICAL DATA

Dimensions & Weight



Length	230 mm
Width	45 mm
Height	13 mm
Product weight	150.00 g

Colors & materials

Product color	Black

Capabilities

Transmitter range	10 m

Certificates & Standards

Approval marks – approval	CE

DOWNLOAD DATA

	Documents and certificates	Document name
PDF	User instruction / safety instructions	341217_Master Remote
PDF	User instruction / safety instructions	538726_Software manual DALI Eco Remote PC KIT DE
PDF	Declarations of conformity	505227_CE Declaration DALIeco system

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4052899195967	Folding box 1	287 mm x 103 mm x 27 mm	221.00 g	0.80 dm^3
4052899195974	Shipping box 10	293 mm x 113 mm x 302 mm	2225.00 g	10.00 dm^3

© 2026, products of OSRAM GmbH, distributed by LEDVANCE GmbH. All rights reserved.

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2026, products of OSRAM GmbH, distributed by LEDVANCE GmbH. All rights reserved.