PRODUCT DATASHEET
LS AY VAL -CSW/P4/50/P

CONNECTORS FOR RGB LED STRIP VALUE CLASS | Connectors for RGB LED Strips



VALUE CLASS

Areas of application

- General indoor illumination

Product benefits

- Easy installation of connector, no manual wiring required
- Tool-free installation

© 2026, LEDVANCE GmbH. All rights reserved.

TECHNICAL DATA

Electrical data

Nominal voltage	24 V
Nominal current	3000 mA

Dimensions & Weight

Length	102.0 mm
Cable length	50 mm
Width	17.0 mm
Height	7.0 mm
Cable cross-section, input side	0.5 mm^2
Product weight	12.00 g

Colors & materials

Product color	Transparent/Black

Temperatures & operating conditions

Ambient temperature range	-15…+50 °C
Temperature range in operation	-15…+50 °C

Certificates & Standards

Type of protection	IP65

LOGISTICAL DATA

Temperature range at storage	-20…+85 °C

DOWNLOAD DATA

	Documents and certificates	Document name
PDF	Declarations of conformity	CE declaration LS AY VAL

	Tender texts	Document name
TXT	Tender documents	Connectors for RGB LED Strips CSWP450P-EN

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075407954	BAG 2	80 mm x 120 mm x 5 mm	13.00 g	0.05 dm^3
4058075407961	Shipping box 100	180 mm x 100 mm x 180 mm	1329.00 g	3.24 dm^3

© 2026, LEDVANCE GmbH. All rights reserved.

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075407978	Shipping box 1,000	520 mm x 380 mm x 210 mm	14057.00 g	41.50 dm^3

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2026, LEDVANCE GmbH. All rights reserved.