PRODUCT DATASHEET
Vintage 1906 PenduLum Bell Black

Vintage 1906 PenduLum Bell | Indoor pendant luminaires, vintage style, E27 socket



Areas of application

- Living areas (living rooms, dining rooms, bedrooms etc.)
- Professional (hotels, bars, boutiques etc.)

Product benefits

- Individual light scenarios through combination with decorative lamp

Product features

- Modern minimalistic design
- Made of classic materials
- Special vintage appeal when combined with 1906 lamps
- Flexible mounting options
- Available in various colors



© 2026, LEDVANCE GmbH. All rights reserved.

TECHNICAL DATA

Electrical data

Nominal voltage	220…240 V
Mains frequency	50…60 Hz
Protection class	II
Operating mode	Mains voltage

Dimensions & Weight

Diameter	92.00 mm
Height	1175.00 mm
Product weight	137.00 g
Cable length	1 m



1906 PENDULUM BELL E27

Materials & Colors

Product color	Black
Housing color	Black
Body material	Polyprophylene (PP)|silicone
Glow Wire Test according to IEC 60695-2-12	650 °C
Mercury content	0.0 mg

Application & Mounting

Ambient temperature range	-20…+40 °C
Temperature range at storage	-20…+80 °C
Type of connection	Screw terminal, 2-Pole (L,N)
Type of protection	IP20
Dimmable	No
Mounting type	Suspended
Application environment	Indoor
Mechanically adjustable	Yes

© 2026, LEDVANCE GmbH. All rights reserved.

With light source	No
Replaceable light source	No
Holder designation	E27

Certificates & Standards

Standards	CE / UKCA
Luminaire with limited surface temperature, "D sign"	No

Additional product data

Product remark	Maximum bulb wattage: 15 W (LED)
Number of illuminants	1

EQUIPMENT / ACCESSORIES

- 1 m connection cable included

Safety advice

- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.
- Check wall-ceiling for suitability. If uncertain, seek professional advice.

DOWNLOAD DATA

	Documents and certificates	Document name
PDF	User instruction / safety instructions	UI 1906 PENDULUM BELL
PDF	Legal information	Legal Insert PENDULUM
PDF	Declarations of conformity	CE Declaration 1906
PDF	Declarations of conformity UKCA	PENDULUM

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854092664	Folding box 1	120 mm x 120 mm x 140 mm	196.00 g	2.02 dm^3
4099854092671	Shipping box 4	260 mm x 260 mm x 165 mm	1131.00 g	11.15 dm^3

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

© 2026, LEDVANCE GmbH. All rights reserved.

References / Links

– Further information at www.ledvance.com/consumer/products/product-stories/vintage-edition-1906

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2026, LEDVANCE GmbH. All rights reserved.