PRODUCT DATASHEET
SP CBO IP65/5X RING ADJ SQUARE BK

SPOT COMBO IP65/5X RING ADJUST | Replaceable adjustable ring for SPOT COMBO IP65/5X on/off and DALI versions



Product benefits

- Elegant design

Product features


- Available in round and square shape
- Available in three different colors: white, black and brushed nickel
- Material: aluminum

© 2026, LEDVANCE GmbH. All rights reserved.

TECHNICAL DATA

Dimensions & Weight

Length	82 mm
Width	82 mm
Height	3.8 mm
Product weight	33.00 g



SP CBO IP65/5X RING ADJ SQUARE

Materials & Colors

Product color	Black
RAL Color (most similar)	RAL 9005
Body material	Aluminum

Application & Mounting

Ambient temperature range	-20…+40 °C
Mounting type	Luminaire attachment
Mounting location	Luminaire
Replaceable light source	No

DOWNLOAD DATA

	Documents and certificates	Document name
PDF	User instruction / safety instructions	G11265176 SPOT COMBO
PDF	User instruction / safety instructions	G11265175 SPOT COMBO

© 2026, LEDVANCE GmbH. All rights reserved.

	Tender texts	Document name
	Tender documents	ENSPOT COMBO IP655X RING ADJUST IP655X RING ADJ SQUARE BK-en

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854736803	Folding box 1	18 mm x 84 mm x 85 mm	66.00 g	0.13 dm^3
4099854736810	Shipping box 20	190 mm x 190 mm x 113 mm	1487.00 g	4.08 dm^3

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

– For Guarantee see www.ledvance.com/guarantee

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2026, LEDVANCE GmbH. All rights reserved.