PRODUCT DATASHEET
TRUSYS FLEX T5 TRACK DT WT

TRUSYS FLEX T5 TRACK | Track rail insert for mounting of T5 LED tubes



Product benefits

– Simple installation

Product features

– 150 cm insert with T5 tube fitting holders and preinstalled wires
– Including optional side covers for luminaire inserts



© 2026, LEDVANCE GmbH. All rights reserved.


TECHNICAL DATA

Electrical data

Nominal voltage	220…240 V
Mains frequency	50…60 Hz
Protection class	I

Dimensions & Weight

Length	1498.5 mm
Width	91.3 mm
Height	97.0 mm
Product weight	1080.00 g



TRUSYS FLEX T5 TRACK DT WT

Materials & Colors

Product color	White
Housing color	White
RAL Color (most similar)	RAL9016
Body material	Steel
Glow Wire Test according to IEC 60695-2-12	650 °C

Application & Mounting

Ambient temperature range	-25…+40 °C
Type of connection	Insulation displacement connector
Type of protection	IP20
Protection class IK (shock resistance)	IK04

© 2026, LEDVANCE GmbH. All rights reserved.

Mounting location	Mounting rail
With light source	No
Replaceable light source	No
Holder designation	G5

Lifespan

Lifespan L70/B50 at 25 °C	100000 h [1)]
Lifespan L80/B50 at 25 °C	100000 h

1) t[h]: L70 / B50 @ 25 °C (Ta), t[h]: L80 / B10 @ 25 °C (Ta), t[h]: L90 / B10 @ 25 °C (Ta)

Certificates & Standards

Standards	CE / CB / UKCA / ENEC / EAC
Ball shot safe	No

Safety advice

- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.
- Product in protection class I. All electrically conductive, metallic housing parts that can absorb voltage during operation or during maintenance in the event of a fault must be continuously connected to the protective earthing conductor.

DOWNLOAD DATA

	Documents and certificates	Document name
PDF	User instruction / safety instructions	UI TruSys Flex T5 Track
PDF	Legal information	Legal Insert TRUSYS FLEX T5 TRACK
PDF	Legal information	Informationstext 18 Abs 4 ElektroG
PDF	Declarations of conformity	TRUSYS FLEX T5 TRACK
PDF	Declarations of conformity UKCA	TRUSYS FLEX T5 TRACK

	Tender texts	Document name
TXT	Tender documents	TruSys FLEX T5 TRACK DT WT-EN

© 2026, LEDVANCE GmbH. All rights reserved.

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854230172	Folding box 1	128 mm x 1,539 mm x 135 mm	1588.00 g	26.59 dm^3
4099854230189	Shipping box 6	1,557 mm x 401 mm x 292 mm	11661.00 g	182.31 dm^3

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

– For Guarantee see www.ledvance.com/guarantee

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2026, LEDVANCE GmbH. All rights reserved.