PRODUCT DATASHEET
Vintage 1906 PenduLum Round Plaster White

Vintage 1906 PenduLum Round | Indoor pendant luminaires, vintage style, E27 socket



Areas of application

- Living areas (living rooms, dining rooms, bedrooms etc.)
- Professional (hotels, bars, boutiques etc.)

Product benefits

- Individual light scenarios through combination with decorative lamp
- High-quality look and feel

Product features

- Modern minimalistic design
- Made of classic materials
- Special vintage appeal when combined with 1906 lamps
- Flexible mounting options
- 1,5 m textile cable



© 2026, LEDVANCE GmbH. All rights reserved.

TECHNICAL DATA

Electrical data

Nominal voltage	220…240 V
Mains frequency	50…60 Hz
Protection class	I
Operating mode	Mains voltage

Dimensions & Weight

Diameter	120.00 mm
Height	1630.00 mm
Product weight	515.00 g
Cable length	1.5 m



1906 PENDULUM ROUND PLASTER E27 WT

Materials & Colors

Product color	White
Housing color	White
Body material	Steel|plaster
Glow Wire Test according to IEC 60695-2-12	650 °C
Mercury content	0.0 mg

Application & Mounting

Ambient temperature range	-20…+40 °C
Temperature range at storage	-20…+80 °C
Type of connection	Screw terminal, 3-Pole
Type of protection	IP20
Dimmable	No
Mounting type	Suspended
Application environment	Indoor
Mechanically adjustable	Yes

© 2026, LEDVANCE GmbH. All rights reserved.

With light source	No
Replaceable light source	No
Holder designation	E27

Certificates & Standards

Standards	CE / UKCA
Luminaire with limited surface temperature, "D sign"	No

Additional product data

Product remark	Maximum bulb wattage: 25 W (LED 15 W)
Number of illuminants	1

Safety advice

- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.
- Product in protection class I. All electrically conductive, metallic housing parts that can absorb voltage during operation or during maintenance in the event of a fault must be continuously connected to the protective earthing conductor.
- Check wall-ceiling for suitability. If uncertain, seek professional advice.

DOWNLOAD DATA

	Documents and certificates	Document name
PDF	User instruction / safety instructions	UI 1906 PENDULUM
PDF	Legal information	Legal Insert PENDULUM
PDF	Declarations of conformity	CE Declaration 1906
PDF	Declarations of conformity UKCA	PENDULUM

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854092640	Folding box 1	120 mm x 130 mm x 165 mm	571.00 g	2.57 dm^3
4099854092657	Shipping box 4	280 mm x 260 mm x 190 mm	2644.00 g	13.83 dm^3

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

© 2026, LEDVANCE GmbH. All rights reserved.

References / Links

– Further information at www.ledvance.com/consumer/products/product-stories/vintage-edition-1906

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2026, LEDVANCE GmbH. All rights reserved.