PRODUCT DATASHEET
TRUSYS FLEX SPOT TRACK 1500 WT

TruSys® FLEX SPOT TRACK | Track rail insert for mounting spot lighting



Product benefits

- Suitable for LEDVANCE Trackspots
- Up to 3 track spots can be installed

Product features


- 150 cm insert with a 90 cm track rail in powergear layout

© 2026, LEDVANCE GmbH. All rights reserved.

TECHNICAL DATA

Dimensions & Weight

Length	1500 mm
Width	70.0 mm
Height	15.2 mm
Product weight	1600.00 g



TRUSYS FLEX SPOT TRACK

Materials & Colors

Product color	White
RAL Color (most similar)	RAL 9016
Body material	Aluminium

Application & Mounting

Mounting location	Mounting rail
Replaceable light source	No

Certificates & Standards

Standards	CE / CB / UKCA / ENEC / EAC

DOWNLOAD DATA

	Documents and certificates	Document name
PDF	User instruction / safety instructions	UI Trusys Flex Spot Track
PDF	Legal information	Legal insert TRUSYS FLEX Sensor Track
PDF	Legal information	Informationstext 18 Abs 4 ElektroG

© 2026, LEDVANCE GmbH. All rights reserved.

	Documents and certificates	Document name
PDF	Declarations of conformity	CE Declaration of Conformity TRUSYS FLEX
PDF	Declarations of conformity UKCA	UKCA Declaration of Conformity TRUSYS FLEX

	CAD/BIM files	Document name
STEP	CAD STEP 3D	TruSys FLEX SPOT TRACK

	Tender texts	Document name
TXT	Tender documents	TruSys FLEX SPOT TRACK SPOT TRACK 1500 WT-EN

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075782051	Folding box 1	1,531 mm x 102 mm x 76 mm	1893.00 g	11.87 dm^3
4058075782068	Shipping box 4	1,541 mm x 214 mm x 167 mm	8672.00 g	55.07 dm^3

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2026, LEDVANCE GmbH. All rights reserved.