
PRODUCT DATASHEET
LB FLEX SUSPENSION KIT

LOW BAY FLEX SUSPENSION KIT | Suspension kit for LOW BAY FLEX



Product benefits

– Easy installation with click-in suspension brackets

Product features


– Wire suspension with bracket and 5 m adjustable steel cable

© 2026, LEDVANCE GmbH. All rights reserved.

TECHNICAL DATA

Dimensions & Weight

Length	125.0 mm
Width	30 mm
Height	46.00 mm
Product weight	240.00 g
Cable length	5000 mm



LOWBAY SUSPENSION KIT

Materials & Colors

Product color	Steel

© 2026, LEDVANCE GmbH. All rights reserved.

Body material	Steel

Application & Mounting

Temperature range at storage	-30…+80 °C
Mounting type	Surface mounting
Mounting location	Ceiling
Replaceable light source	No

EQUIPMENT / ACCESSORIES

– 5 m adjustable steel cable

DOWNLOAD DATA


	Tender texts	Document name
	Tender documents	LOW BAY FLEX ACCESSORIES SUSPENSION KIT-EN


LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075693722	BAG 1			
4058075693739	Shipping box 30	421 mm x 282 mm x 173 mm	7650.00 g	20.54 dm^3

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

ADDITIONAL CATALOG INFORMATION





DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2026, LEDVANCE GmbH. All rights reserved.