PRODUCT DATASHEET
PANEL 1200 SURFACE MOUNT KIT BK

SURFACE MOUNT KIT | Reinforced surface mount frames for panel luminaires



Areas of application

- H75 versions suitable for all LEDVANCE Panels
- H50 versions suitable only for LEDVANCE Biolux Panel and Panel Protect

Product benefits

- Ready-to-mount thanks pre-assembled magnetic corners
- Crossbar for advanced stability
- H50 version with slim design fits for panels with an overall height of 38 mm (Panel + driver)

Product features

- Extruded aluminum frame
- Mount frames available in 75 mm (H75) or 50 mm (H50) height
- Available in white (like RAL9003) or black (like RAL9005) color




© 2026, LEDVANCE GmbH. All rights reserved.

TECHNICAL DATA

Dimensions & Weight

Length	1200 mm
Width	300 mm
Height	56 mm
Product weight	1490.00 g



PANEL 1200 SURFACE MOUNT KIT

Materials & Colors

Product color	Black
RAL Color (most similar)	RAL 9005
Body material	Aluminum

Application & Mounting

Ambient temperature range	-20…+50 °C
Mounting type	Surface
Mounting location	Ceiling
Replaceable light source	No

DOWNLOAD DATA

	Tender texts	Document name
	Tender documents	SURFACE MOUNT KIT 1200 SURFACE MOUNT KIT BK-EN

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075834378	Folding box 1	307 mm x 1,210 mm x 62 mm	1795.00 g	23.03 dm^3

© 2026, LEDVANCE GmbH. All rights reserved.

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075834385	Shipping box 4	1,220 mm x 330 mm x 270 mm	8229.00 g	108.70 dm^3

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2026, LEDVANCE GmbH. All rights reserved.