
PRODUCT DATASHEET
TRUSYS FLEX FEED IN 5P

TruSys® FLEX FEED-IN CONNECTOR | Feed-In connector for mounting rail



Product features


– Toolfree feed-In 5 and 8 poles connector

© 2026, LEDVANCE GmbH. All rights reserved.

TECHNICAL DATA

Dimensions & Weight

Length	39.00 mm
Width	27.00 mm
Height	14.00 mm
Product weight	10.00 g



TRUSYS FLEX FEED IN 5P

Materials & Colors

Product color	White
Body material	Polyamid (PA)

Application & Mounting

Mounting location	Mounting rail
Replaceable light source	No

Certificates & Standards

Standards	CE / CB / UKCA / ENEC / EAC

DOWNLOAD DATA

	Documents and certificates	Document name
PDF	User instruction / safety instructions	TRUSYS FLEX P RAIL
PDF	Legal information	Informationstext 18 Abs 4 ElektroG

© 2026, LEDVANCE GmbH. All rights reserved.

	Documents and certificates	Document name
PDF	Declarations of conformity	CE Declaration of Conformity TRUSYS FLEX
PDF	Declarations of conformity UKCA	UKCA Declaration of Conformity TRUSYS FLEX

	Tender texts	Document name
TXT	Tender documents	TruSys FLEX FEED-IN CONNECTOR FEED IN 5P-EN

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075781931	BAG 1	94 mm x 155 mm x 1 mm	17.00 g	0.01 dm^3
4058075781948	Shipping box 300	440 mm x 440 mm x 260 mm	5510.00 g	50.34 dm^3

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2026, LEDVANCE GmbH. All rights reserved.