
PRODUCT DATASHEET
LS AY -PF04/U/17X7/12/2

FLAT PROFILES FOR LED STRIPS | Flat Profiles for LED Strips



Areas of application

- General indoor illumination

Product benefits

- Low profile
- Quick and simple installation

© 2026, LEDVANCE GmbH. All rights reserved.

TECHNICAL DATA

Dimensions & Weight

Length	2000 mm
Width	17.1 mm
Height	6.8 mm
Product weight	180.00 g

Colors & materials

Product color	Grey

Temperatures & operating conditions

Ambient temperature range	-15…+45 °C
Temperature range in operation	-15…+45 °C

Additional product data

Product remark	Can be combined with SUPERIOR UNPROTECTED Strips / Cannot be combined with SUPERIOR PROTECTED Strips / Can be combined with PERFORMANCE UNPROTECTED Strips / Cannot be combined with PERFORMANCE PROTECTED Strips / Can be combined with VALUE UNPROTECTED Strips / Cannot be combined with VALUE PROTECTED Strips

LOGISTICAL DATA

Temperature range at storage	-35…+85 °C

Accessories Optional

Product image	Product name	EAN
	LS AY -PC/R01/D/2	4058075401891
	LS AY -PF04/EC/H	4058075277724
	LS AY -PF04/EC	4058075277694
	LS AY -PC/R01/C/1	4058075402256

© 2026, LEDVANCE GmbH. All rights reserved.

Product image	Product name	EAN
	LS AY -PC/R01/D/1	4058075279360
	LS AY -PF04/MB	4058075276857
	LS AY -PC/R01/C/2	4058075402072

DOWNLOAD DATA

	Documents and certificates	Document name
PDF	Declarations of conformity	
PDF	Declarations of conformity UKCA	

	Tender texts	Document name
TXT	Tender documents	Flat Profiles for LED Strips PF04U17X7122-EN

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075401624	BAG 1	2,000 mm x 16 mm x 6 mm	181.00 g	0.19 dm^3
4058075401631	Bundle 5	2,000 mm x 16 mm x 30 mm	906.00 g	0.96 dm^3
4058075401648	Shipping box 25	2,040 mm x 165 mm x 90 mm	5034.00 g	30.29 dm^3

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2026, LEDVANCE GmbH. All rights reserved.