
PRODUCT DATASHEET
LS AY AC-12 SMB

MOUNTING BRACKETS | Mounting brackets for LED strip 230V AC



Areas of application

- General indoor illumination
- General outdoor illumination

Product benefits

- Quick and simple installation
- All required accessories included (screws, brackets)


Product features

- Mounting and installation of LED strips with included screws

© 2026, LEDVANCE GmbH. All rights reserved.

TECHNICAL DATA

Dimensions & Weight



Length	29.00 mm
Width	6.0 mm
Height	6.5 mm
Product weight	20.00 g

Colors & materials

Product color	Transparent
Body material	Silicone

Temperatures & operating conditions

Ambient temperature range	-20…+45 °C
Temperature range in operation	-20…+45 °C
Permitted rel. humidity during operation	0…93 %

Additional product data

Product remark	Each bag contains 20 mounting brackets and 40 screws

LOGISTICAL DATA

Temperature range at storage	-20…+80 °C

EQUIPMENT / ACCESSORIES

– Each bag contains 20 mounting brackets and 40 screws

DOWNLOAD DATA

	Documents and certificates	Document name
PDF	User instruction / safety instructions	G11288780 LED STRIP HV 230V PFM
PDF	Declarations of conformity	LS LUM
PDF	Declarations of conformity UKCA	LS LUM

© 2026, LEDVANCE GmbH. All rights reserved.

	Tender texts	Document name
	Tender documents	MOUNTING BRACKETS SMB-en

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075844841	BAG 1	120 mm x 150 mm x 10 mm	29.00 g	0.18 dm^3
4058075844858	Shipping box 50	347 mm x 347 mm x 124 mm	1943.00 g	14.93 dm^3

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2026, LEDVANCE GmbH. All rights reserved.