PRODUCT DATASHEET
TRUSYS FLEX FEED OUT BOX 8P WT

TRUSYS FLEX FEED-OUT | Feed-out connector box



Product features


- Feed-out connector box 8- and 12- pole

© 2026, LEDVANCE GmbH. All rights reserved.

TECHNICAL DATA

Dimensions & Weight

Length	296 mm
Width	92 mm
Height	58.00 mm
Product weight	530.00 g



TRUSYS FLEX FEED OUT BOX

Materials & Colors

Product color	White
RAL Color (most similar)	RAL 9016
Body material	Steel/Polycarbonate (PC)

Application & Mounting

Mounting location	Mounting rail
Replaceable light source	No

Certificates & Standards

Standards	CE / CB / UKCA / ENEC / EAC

Safety advice

- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.
- Product in protection class I. All electrically conductive, metallic housing parts that can absorb voltage during operation or during maintenance in the event of a fault must be continuously connected to the protective earthing conductor.

© 2026, LEDVANCE GmbH. All rights reserved.

DOWNLOAD DATA

	Documents and certificates	Document name
PDF	User instruction / safety instructions	TRUSYS FLEX FEED WT
PDF	Legal information	Legal insert TRUSYS FLEX Sensor Track
PDF	Legal information	Informationstext 18 Abs 4 ElektroG
PDF	Declarations of conformity	CE Declaration of Conformity TRUSYS FLEX
PDF	Declarations of conformity UKCA	UKCA Declaration of Conformity TRUSYS FLEX
PDF	Declarations of conformity UKCA	TRUSYS FLEX

	Tender texts	Document name
TXT	Tender documents	TruSys FLEX FEED-OUT BOX FEED OUT BOX 8P WT-EN

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075782037	Folding box 1	358 mm x 100 mm x 70 mm	609.00 g	2.51 dm^3
4058075782044	Shipping box 20	685 mm x 510 mm x 167 mm	13769.00 g	58.34 dm^3

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

– For Guarantee see www.ledvance.com/guarantee

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2026, LEDVANCE GmbH. All rights reserved.