PRODUCT DATASHEET
TRUSYS FLEX P RAIL 3000 8P WT

TRUSYS FLEX ENERGY RAIL 8-POLE | 8-pole mounting rail

PERFOR-
MANCE
CLASS

Areas of application

- Industry halls, high rack warehouse, hardware stores

Product benefits

- Simple installation
- High flexibility thanks to three available lengths (1500 mm, 3000 mm, 4500 mm and 1500 mm end rail)
- Version of 600 mm rail to be used with TRUSYS FLEX SENSOR TRACK

Product features

- Through wired with 8 core cable
- Different lenghts available
- Electrical connection internal at the first luminaire, no external connection unit required
- Steel-sheet housing
- End-Rail without electrical and mechanical connectors
- TRUSYS FLEX end rails are not compatible with TRUSYS FLEX Feed-out boxes



© 2026, LEDVANCE GmbH. All rights reserved.


TECHNICAL DATA

Electrical data

Protection class	I

Dimensions & Weight

Length	3150.00 mm
Width	39.00 mm
Height	70.00 mm
Product weight	3250.00 g



TRUSYS FLEX P RAIL 3000
8P WT

Materials & Colors

Product color	White
RAL Color (most similar)	RAL 9016
Body material	Steel

Application & Mounting

Mounting location	Ceiling
With light source	No
Replaceable light source	No

Certificates & Standards

Standards	CE / CB / UKCA / ENEC / EAC

EQUIPMENT / ACCESSORIES

– Various accessories available

DOWNLOAD DATA

	Documents and certificates	Document name
PDF	User instruction / safety instructions	TRUSYS FLEX P RAIL

© 2026, LEDVANCE GmbH. All rights reserved.

	Documents and certificates	Document name
PDF	Legal information	Informationstext 18 Abs 4 ElektroG
PDF	Legal information	Safety Insert G11205497
PDF	Declarations of conformity	CE Declaration of Conformity TRUSYS FLEX
PDF	Declarations of conformity UKCA	UKCA Declaration of Conformity TRUSYS FLEX

	CAD/BIM files	Document name
RFA	BIM Revit 3D	TRUSYS FLEX
STEP	CAD STEP 3D	TruSys FLEX ER 3000

	Tender texts	Document name
TXT	Tender documents	TruSys FLEX ENERGY RAIL 8-POLE 3000 8P WT-EN

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075781771	Sleeve 1	43 mm x 52 mm x 3,190 mm	3262.00 g	7.13 dm^3
4058075781788	Shipping box 4	3,230 mm x 191 mm x 141 mm	14938.00 g	86.68 dm^3

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2026, LEDVANCE GmbH. All rights reserved.