

PRODUCT DATASHEET

LED Spot Acoustic GU10

Spot Acoustic | GU10 socket spotlight made with real wood and black base



Areas of application

- Indoor
- Corridors, entrance areas, stairwells, living rooms, basements

Product benefits

- High flexibility in the choice of the light source
- Fit with industrial style room
- Easy mounting

Product features

- Suitable for lamps with GU10 base
- Housing material: real wood and metal
- Type of protection: IP20




TECHNICAL DATA

Electrical data

Nominal voltage	220...240 V
Protection class	I
Operating mode	Mains voltage

Dimensions & Weight

Length	105.00 mm
Width	105.00 mm
Height	150.00 mm
Product weight	270.00 g



LED SPOT ACOUSTIC
1XGU10

Materials & Colors

Product color	Black Wood decor
Housing color	Black Wood decor
Body material	STEEL PINEWOOD
Glow Wire Test according to IEC 60695-2-12	650 °C

Application & Mounting

Ambient temperature range	-20...+40 °C
Temperature range at storage	-20...+80 °C
Type of connection	Terminal, 3-Pole (L, N, PE)
Type of protection	IP20
Dimmable	No
Mounting type	Surface
Mounting location	Wall
Application environment	Indoor
With light source	No

Replaceable light source	No
Holder designation	GU10

Certificates & Standards

Standards	CE / UKCA
Luminaire with limited surface temperature, "D sign"	No
Ball shot safe	No

Additional product data

Product remark	Maximum bulb wattage: 5 W LED
Number of illuminants	1

EQUIPMENT / ACCESSORIES

- Mounting screws and dowels included

Safety advice

- Product in protection class I. All electrically conductive, metallic housing parts that can absorb voltage during operation or during maintenance in the event of a fault must be continuously connected to the protective earthing conductor.
- Check wall-ceiling for suitability. If uncertain, seek professional advice.
- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.

DOWNLOAD DATA

Documents and certificates		Document name
	User instruction / safety instructions	G11277787 LED SPOT ACOUSTIC
	Declarations of conformity	CE declaration_LED SPOT_
	Declarations of conformity UKCA	UKCA declaration_LED SPOT

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075859432	Folding box 1	117 mm x 147 mm x 193 mm	395.00 g	3.32 dm ³
4058075859449	Shipping box 8	402 mm x 307 mm x 260 mm	3766.00 g	32.09 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.