
PRODUCT DATASHEET
TRUSYS UNIV FEED IN 5P

TRUSYS UNIVERSAL FEED-IN | Feed-In connector for mounting rail



Product features


- Feed-In 5 and 7 poles connector

© 2026, LEDVANCE GmbH. All rights reserved.

TECHNICAL DATA

Dimensions & Weight

Length	156.00 mm
Width	42.00 mm
Height	15.00 mm
Product weight	34.00 g



TRUSYS UNIV FEED IN 5P

Materials & Colors

Product color	White
Body material	Plastic

Application & Mounting

Replaceable light source	No

Certificates & Standards

Standards	CE / CB / UKCA / ENEC / TÜV / EAC

DOWNLOAD DATA

	Documents and certificates	Document name
PDF	User instruction / safety instructions	TRUSYS UNIVERSAL
PDF	Legal information	Informationstext 18 Abs 4 ElektroG
PDF	Declarations of conformity	CE Declaration Trusys Universal

© 2026, LEDVANCE GmbH. All rights reserved.

	Documents and certificates	Document name
PDF	Declarations of conformity UKCA	UKCA Declaration Trusys Universal

	Tender texts	Document name
TXT	Tender documents	TRUSYS UNIVERSAL FEED IN 5P-EN

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854317347	BAG 1	150 mm x 100 mm x 80 mm	39.00 g	1.20 dm^3
4099854317354	Shipping box 250	370 mm x 315 mm x 255 mm	10356.00 g	29.72 dm^3

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2026, LEDVANCE GmbH. All rights reserved.